## **Exhibit O**

William E. Longo, Ph. D., 11/5/2018 Carol Kerkhof v. Brenntag North America Inc.

```
CAROL KERKHOF, et al.,

Plaintiff,

IN THE CIRCUIT COURT FOR

MONTGOMERY COUNTY

vs.

CASE NO. 439392-V

BRENNTAG NORTH AMERICA
INC., et al.,

Defendants.

Defendants.
```

DEPOSITION OF

WILLIAM E. LONGO, PhD

November 5, 2018 10:50 a.m.

11340 Lakefield Drive Suite 200 Johns Creek, Georgia

Debra R. Luther, RMR, CRR, CCR-B-881

EVANS REPORTING SERVICE
The Munsey Building, Suite 705
Seven North Calvert Street
Baltimore, Maryland 21202
410.727.7100 800.256.8410

William E. Longo, Ph. D., 11/5/2018 Carol Kerkhof v. Brenntag North America Inc.

Page 187

- 1 have it in the right refractive index solution to
- 2 show the appropriate colors, I would not call it.
- 3 Q. You need to do more testing on it?
- 4 A. Well --
- 5 Q. Or is what's been done already concluded
- 6 that?
- 7 A. No. We have to do more testing on it
- 8 where we would go back and actually use the
- 9 refractive indices appropriate for that.
- But if you look in the McCrone or any of
- 11 these books where they show you what it should look
- 12 like, it looks just like that. It's a very large
- 13 bundle of chrysotile.
- 14 Q. Other than that bundle, which you've
- 15 discussed, are there any other findings using PLM
- 16 where you've found either a fiber or a bundle of
- 17 chrysotile?
- 18 A. No.
- 19 Q. Would PLM be the most accurate of the
- 20 three tests you've used to identify chrysotile if it
- 21 was there?

William E. Longo, Ph. D., 11/5/2018 Carol Kerkhof v. Brenntag North America Inc.

Page 188

- 1 A. No. TEM would be. All the chrysotile
- 2 findings from the historical documents of Johnson &
- 3 Johnson, it's only been found by TEM.
- 4 Q. Using a different preparation method,
- 5 then; right?
- 6 A. Well, just using the standard TEM method,
- 7 long method.
- 8 Q. Have you gone back to do any TEM long
- 9 method testing to see whether you found chrysotile in
- 10 Johnson & Johnson Baby Powder?
- 11 A. Not yet.
- 12 Q. It's on your list to do?
- A. Well, we have an automated TEM, and we're
- 14 working on it to fully automate it so that you can
- 15 put a grid in -- and probably won't have that
- 16 technology worked out in our lab for about a year --
- 17 where you just put a grid in and let it run.
- 18 Q. Are there any other changes or upgrades in
- 19 equipment you have going on or planned right now?
- 20 A. Well, we've got this new Hitachi TEM, but
- 21 we've had it for a year -- about a half a year. And

## RLS Document 32872-17 Filed 07 PageID: 188535 William E. Longo, Ph. D., 11/5/2018 Carol Kerkhof v. Brenntag North America Inc.

CERTIFICATE
GEORGIA:
GWINNETT:
I hereby certify that the foregoing
script was taken down, as stated in the
tion, and the questions and answers thereto
e reduced to typewriting under my direction;
the foregoing pages 1 through 221 represent
rue, complete, and correct transcript of the
dence given upon said hearing, and I further
rify that I am not of kin or counsel to the
cies in the case; am not in the regular
oy of counsel for any of said parties; nor
in anywise interested in the result of said
<b>.</b>
This, the 8th day of November 2018.
DEBRA R. LUTHER, B-881
Georgia Certified Court Reporter